

VARIOCON

Protective covers for sleeve housings, supporting base elements and panel mounting frames

Introduction

Plug connectors must be protected against dirt, water and mechanical influences at the machine and in the system.

The VC protective covers offer reliable protection even in case of harsh environmental conditions.



VC-SD-T

Protective cover for sleeve housings



Description	Type	Order No.	Pcs./Pkt.	
Protective cover for sleeve housing,	Type 1	VC-SD-T1	18 86 72 8	5
	Type 2	VC-SD-T2	18 86 73 1	5
	Type 3	VC-SD-T3	18 86 74 4	5
	Type 4	VC-SD-T4	18 86 75 7	5
Technical data				
Degree of protection		IP 50		
Material		PA		
Hole diameter of the retaining cord eyelet	[mm]	3.3		
Temperature range	[°C]	-40 to +80		
Inflammability class acc. to UL 94		V0		

VC-SD-A
Protective cover for supporting
base elements as well as for
panel mounting frames



Description	Type	Order No.	Pcs./Pkt.	
Protective cover for panel mounting and box mounting base and panel mounting frames	Type 1	VC-SD-A1	18 86 76 0	5
	Type 2	VC-SD-A2	18 86 77 3	5
	Type 3	VC-SD-A3	18 86 78 6	5
	Type 4	VC-SD-A4	18 86 79 9	5
Technical data				
Degree of protection		IP 65		
Material		PA		
Hole diameter of the retaining cord eyelet	[mm]	3.3		
Temperature range	[°C]	-40 to +80		
Inflammability class acc. to UL 94		V0		