

4

3

2

1

DESCRIPTION	MATERIAL	FINISH
MODULE ASSEMBLY	D.A.P. PER MIL-M14 TYPE SDG-F	COLOR: GREEN
GROMMET	FLOURSILICONE RUBBER 70/30 BLEND	COLOR: GREEN
CONTACT SOCKET	BERYLLIUM COPPER ASTM-B194	GOLD PLATE PER MIL-G-45204
RETAINING CLIP	BERYLLIUM COPPER ASTM-B194 OR STAINLESS STEEL PER QQ-S-766	NONE
RESISTOR	RLR07C2201JS	NONE
SEALING PLUGS QTY 2	F.E.P. PER MIL-P-19468	COLOR: RED
PIN CONTACT QTY = 4 P/N M39029/1-101	COPPER ALLOY PER MIL-C-39029	GOLD PLATE PER MIL-G-45204

LOC	DIST	REVISIONS					
DF	A0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		D		REVISED PER ECO-12-010820	25JUN12	PY	DE

SCHEMATIC DIAGRAM  
(2) 2200 OHM, 1/4 WATT, ±5%  
RLR07C2201JS

INDEXING INDICATOR

1 MARK MODULE ASSEMBLY WITH "AMP", TE PART NO.,  
AND DATE CODE .060 MIN CHARS PER 115-10002-2

591871-1  
PART  
NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	16AUG99	<b>TE</b> TE Connectivity	
DIMENSIONS: INCHES		CHK	8-20-99		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		D.MILLER		NAME MODULE FEED-BACK ASSEMBLY SIZE 20 TJ WITH TWO RCR07G222JS RESISTORS	
0 PLC ± -		8-20-99			
1 PLC ± -		D.MILLER		SIZE	
2 PLC ± -		PRODUCT SPEC			
3 PLC ± .005		APPLICATION SPEC		CAGE CODE	
4 PLC ± -					
ANGLES ± -				DRAWING NO	
FINISH					
MATERIAL SEE TABLE		WEIGHT		RESTRICTED TO	
FINISH SEE TABLE		-			
		CUSTOMER DRAWING		A2 00779 C=591871	
		SCALE		SHEET	
		4:1		1 of 1	
				REV D	

1471-9 (3/11)

591871

B

A