



| 插頭部件<br>(Plug Component)              |                                     |          | 頭部剥皮尺寸<br>(Plug strip dimension) |         |            | 線材規格(Wire Spec.)  | 尾部剥皮尺寸<br>(Terminal roj & Strip) |                               |            | 尾部處理<br>(Terminal Component) |                                     |          |
|---------------------------------------|-------------------------------------|----------|----------------------------------|---------|------------|---|----------------------------------|-------------------------------|------------|------------------------------|-------------------------------------|----------|
| 顏色(Color)                             | 零件描述(Component)                     | 數量(Q'ty) | 內剝(Strip)                        | 外剝(Roj) | 顏色(Color)  |   | 外剝(Roj)                          | 內剝(Strip)                     | 顏色(Color)  | 顏色(Color)                    | 零件描述(Component)                     | 數量(Q'ty) |
| 35P黑色<br>90A+2A Black                 | FM-320 (20A 250V-)<br>(IEC 320 C20) | 1        | 5 <sup>+1</sup> <sub>-0</sub>    | 20±1    | 黑/Black(L) | SJT 12AWG/3C<br><br>105°C 黑色(Black)<br><br>線長:<br>(Length) 2400.3 <sup>+50.8</sup> <sub>-12.7</sub> | 20±1                             | 5 <sup>+1</sup> <sub>-0</sub> | 黑/Black(L) | 35P黑色<br>90A+2A Black        | FM-319 (20A 250V-)<br>(IEC 320 C19) | 1        |
| 鍍鎳<br>(Computer power cord terminal)  | 2.0x6.0電腦電源線端子                      | 1        | 5 <sup>+1</sup> <sub>-0</sub>    | 20±1    | 白/White(N) |   | 20±1                             | 5 <sup>+1</sup> <sub>-0</sub> | 白/White(N) | 鍍鎳<br>(Nickel-Plated)        | 母插端子<br>(Receptacle Terminals)      | 3        |
| 鍍鎳<br>(Computer power cord terminals) | 2.0x5.0電腦電源線端子                      | 2        | 5 <sup>+1</sup> <sub>-0</sub>    | 20±1    | 綠/Green(E) |   | 20±1                             | 5 <sup>+1</sup> <sub>-0</sub> | 綠/Green(E) | 黑色(Black)                    | FM-319兩件式內模<br>(FM-319 Inner Body)  | 1        |
| 黑色(Black)                             | FM-320兩件式內模<br>(FM-320 Inner Body)  | 1        |                                  |         |            |   |                                  |                               |            |                              |                                     |          |



綠/Green(E)




插頭端面圖  
(Dimensions of Plug Face)

Insulation Thickness 0.76 mm  
Overall Diameter 4.00±0.15 mm


Copper Conductor  
65/0.254±0.004 mm  
Resistance 5.58  
(20°C (Max), ohms/km)

Jacket Thickness 1.14 mm  
Overall Diameter 11.0±0.20 mm



線材截面圖  
(Wire Cross-Section)

綠/Green(E)



插頭端面圖  
(Dimensions of Plug Face)

## 包裝方式(Packing)

|                        |                                 |
|------------------------|---------------------------------|
| 扎線方式<br>(Bulk Pack)    | 每 10 條一扎<br>Per 10 pcs/Ties     |
| 紙箱尺寸<br>(Carton Size)  | 480 X 320 X 250                 |
| 包裝數量<br>(Packing Q'ty) | PCS                             |
| 標籤(Label)              | UL Detachable Label             |
| 正例事項<br>(Carton Print) | 依客户要求印刷<br>(See Purchase Order) |

I. 高壓測試:1500V/1Sec <1mA  
(Hi-Pot Test:1500v/1Sec <1mA)

|  |                                     |                         |
|--|-------------------------------------|-------------------------|
| 電線印字內容<br>Wire Printed   | 使用克實 線材 四印字<br>(Un-Filler, Gravure) | 紙箱印字標記<br>Shipping Mark |
| V E322763 (UL) SJT 12AWG(3.31mm <sup>2</sup> )x3C VW-1 105°C 300V<br>J/ET c(UL) SJT 12AWG(3.31mm <sup>2</sup> )x3C FT2 105°C 300V -LF-<br>(UL) SJT 12AWG(3.31mm <sup>2</sup> )x3C VW-1 105°C 300V E77975 WONDERFUL-D<br>CSA SJT 12AWG(3.31mm <sup>2</sup> )x3C FT2 105°C 300V LL43774 -F- -LF- |                                     | ◊ CnC ◊                 |

| SIGNATURE      | NAME | DATE       |            |                     |
|----------------|------|------------|------------|---------------------|
| APPROVED       |      |            | 2011/11/26 | 新版發行                |
| M.F.G. CHECKED |      |            | 00         | 楊承正                 |
| Q.A. CHECKED   |      |            | REV DATE   | DESCRIPTION         |
| DRAWN          | 楊承正  | 2011/11/26 | PART No.   | 800-12-32D-BL-0008F |
| CUSTOMER       |      |            | DWG No.    |                     |

CnC Tech, LLC

Industrial Cable and Connector Technology